





# YONGLITAI AXLE

Transport your load safely  
efficiently and sustainably

---

PRODUCT CATALOG


# Tandem Axle Rigid Suspension



## Technical parameter

| Model  | Load capacity | Brake    | Track distance | Bearing           | wheel base | Center  | Spline (AxBxH) | Wheel stud | Pim     | P.C.D     | Total length |
|--------|---------------|----------|----------------|-------------------|------------|---------|----------------|------------|---------|-----------|--------------|
| RD3010 | 30t x2        | S311x190 | 915mm          | 33213/HM518445/10 | 1220mm     | ≥1650mm | 300x330x210    | 10-M22x1.5 | 225/176 | 6.5V-15mm | 1220mm       |
| RD4011 | 40t x2        | S420x180 | 950mm          | HM518445/10       | 1450mm     | ≥1930mm | 300x330x190    | 10-M22x1.5 | 335/281 | 8.5V-20mm | 1300mm       |
| YD3010 | 30t x2        | S311x190 | 865mm          | 33213/HM518445/10 | 1100mm     | ≥1600mm | 300x330x355    | 10-M22x1.5 | 225/176 | 6.5V-15mm | 1170mm       |
| YD4011 | 40t x2        | S420x180 | 950mm          | HM518445/10       | 1450mm     | ≥1930mm | 300x330x335    | 10-M22x1.5 | 335/281 | 8.5V-20mm | 1300mm       |

- Note:**
- 1. Track length is optional.
  - 2. Wheel base is optional.
  - 3. ABS and automatic slack adjuster are optional.
  - 4. Rights of changing product design and specification are reserved.



| Model  | Load capacity | Brake    | Track distance | Bearing           | wheel base | Center  | Spline<br>(AxBxH)                                                  | Wheel stud | Pim     | P.C.D     | Total length |
|--------|---------------|----------|----------------|-------------------|------------|---------|--------------------------------------------------------------------|------------|---------|-----------|--------------|
| RD9010 | 30t x3        | S311x190 | 950mm          | 33213/HM518445/10 | 1360mm     | ≥1650mm | 270x230x190<br>( front and rear )<br><br>270x280x190<br>( middle ) | 10-M22x1.5 | 225/176 | 6.5V-15mm | 1254mm       |

YONGLITAI |

---

# The Customized Solution Provider for Running Gear Systems

## YONGLITAI AXLE CO.,LTD.

---

🏠 Add.1: F1, F2, No.1, Zone E, Yonglitai Industrial Park,  
Sanshui, Foshan, Guangdong, China  
Add.2: Mohe Community, Economic Development Zone,  
Gucheng, Xiangyang, Hubei, China

☎ Tel: +86-757-88311381(Oversea)  
+86-757-88311360(Foshan)  
+86-0710-7402969(Hubei)

📠 Fax: +86-757-88311322

✉ E-mail: [sales@ltcmc.com](mailto:sales@ltcmc.com)

🌐 Website: [www.ltcmc.com](http://www.ltcmc.com)